antibodies -online.com





anti-DUOX2 antibody (AA 1229-1517)



Image



Go to Product page

()	ve	K\ /		
	\cup	1 V/	Щ.	V۷


Quantity:	100 μL	
Target:	DUOX2	
Binding Specificity:	AA 1229-1517	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DUOX2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Dual Oxidase 2 (DUOX2)	
Immunogen:	Recombinant Dual Oxidase 2 (DUOX2) corresdonding to Asp1229~Phe1517	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against DUOX2. It has been selected for its ability to recognize DUOX2 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Talyel Delails		
Target:	DUOX2	
Alternative Name:	Dual Oxidase 2 (DUOX2 Products)	
Background:	LNOX2, NOXEF2, THOX2, Thyroid oxidase 2, NADH/NADPH thyroid oxidase p138-tox, Dual Oxidase-Like Domains 2, Nicotinamide Adenine Dinucleotide Phosphate Oxidase	
Pathways:	Thyroid Hormone Synthesis	
Application Details		
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of recombinant DUOX2 using Polyclonal Antibody to Dual Oxidase 2 (DUOX2)