antibodies -online.com





anti-NOG antibody (AA 28-232)





Overview

Quantity:	100 μL
Target:	NOG
Binding Specificity:	AA 28-232
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NOG antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Noggin (NOG)
Immunogen:	Recombinant Noggin (NOG) corresdonding to Gln28~Cys232 (Accession # Q13253)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NOG. It has been selected for its ability to recognize NOG in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details	
Target:	NOG
Alternative Name:	Noggin (NOG Products)
Background:	SYM1, SYNS1, Synostoses(Multiple)Syndrome 1, Symphalangism 1(Proximal)
Pathways:	Stem Cell Maintenance, Tube Formation
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

4 °C,-20 °C

24 months


Storage:

Expiry Date:

Storage Comment:


detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without




Immunohistochemistry

Image 1. Detection of NOG in Human Placenta Tissue using Polyclonal Antibody to Noggin (NOG)



Western Blotting

Image 2. Detection of Recombinant NOG, Human using Polyclonal Antibody to Noggin (NOG)



Immunohistochemistry

Image 3. Detection of NOG in Human Kidney Tissue using Polyclonal Antibody to Noggin (NOG)

Please check the product details page for more images. Overall 4 images are available for ABIN7434698.