



[Go to Product page](#)

Datasheet for ABIN7434734
anti-c-MET antibody (AA 1092-1379)

5 Images

Overview

Quantity:	100 µL
Target:	c-MET (MET)
Binding Specificity:	AA 1092-1379
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This c-MET antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to C-Met (MET)
Immunogen:	Recombinant C-Met (MET) corresponding to Val1092~Val1379 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MET. It has been selected for its ability to recognize MET in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	c-MET (MET)
Alternative Name:	C-Met (MET Products)
Background:	HGFR, RCCP2, Hepatocyte Growth Factor Receptor, Met Proto-Oncogene, Mesenchymal-Epithelial Transition Factor, HGF/SF receptor, Proto-oncogene c-Met, Scatter factor receptor, Tyrosine-protein kinase M
Pathways:	RTK Signaling , Carbohydrate Homeostasis , Synaptic Membrane , Signaling of Hepatocyte Growth Factor Receptor

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of MET in Mouse Liver lysate using Polyclonal Antibody to C-Met (MET)



Western Blotting

Image 2. Detection of Recombinant HGFR, Human using Polyclonal Antibody to C-Met (MET)



Immunohistochemistry

Image 3. Detection of MET in Human Kidney Tissue using Polyclonal Antibody to C-Met (MET)

Please check the [product details page](#) for more images. Overall 5 images are available for ABIN7434734.