antibodies -online.com





anti-Desmoglein 2 antibody (AA 275-533)

2 Images



Overview

Quantity:	100 μL
Target:	Desmoglein 2 (DSG2)
Binding Specificity:	AA 275-533
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Desmoglein 2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Desmoglein 2 (DSG2)
Immunogen:	Recombinant Desmoglein 2 (DSG2) corresdonding to Lys275~Val533 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DSG2. It has been selected for its ability to recognize DSG2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Target:	Desmoglein 2 (DSG2)
Alternative Name:	Desmoglein 2 (DSG2 Products)
Background:	ARVC10, ARVD10, CDHF5, HDGC, Cadherin family member 5
Pathways:	Cell-Cell Junction Organization
Application Details	

Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of DSG2 in Human Heart Tissue using Polyclonal Antibody to Desmoglein 2 (DSG2)



Western Blotting

Image 2. Detection of Recombinant Desmoglein 2, Human using Polyclonal Antibody to Desmoglein 2 (DSG2)