antibodies -online.com





anti-ATF3 antibody (AA 1-181)





()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	100 μL	
Target:	ATF3	
Binding Specificity:	AA 1-181	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ATF3 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)	

Product Details


Purpose:	Polyclonal Antibody to Activating Transcription Factor 3 (ATF3)	
Immunogen:	Recombinant Activating Transcription Factor 3 (ATF3) corresdonding to Met1~Ser181 with N terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ATF3. It has been selected for its ability to recognize ATF3 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Human, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Expiry Date:

24 months

rarget Details			
Target:	ATF3		
Alternative Name:	Activating Transcription Factor 3 (ATF3 Products)		
Background:	Cyclic AMP-dependent Transcription Factor ATF3		
Pathways:	Myometrial Relaxation and Contraction, ER-Nucleus Signaling, Unfolded Protein Response		
Application Details			
Application Notes:	Western blotting: 0.5-2 μg/mL		
	1:380-1500 Immunohistochemistry: 5-20 µg/mL		
	1:38-150 Immunocytochemistry: 5-20 μg/mL		
	1:38-150 Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without		
	detectable loss of activity. Avoid repeated freeze-thaw cycles.		



Western Blotting

Image 1. Detection of Recombinant ATF3, Mouse using Polyclonal Antibody to Activating Transcription Factor 3 (ATF3)