antibodies .- online.com







anti-CUBN antibody (AA 3157-3274)

2 Images



Go to Product page

Overview

Quantity:	100 μL
Target:	CUBN
Binding Specificity:	AA 3157-3274
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CUBN antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Target:


Purpose:	Polyclonal Antibody to Cubilin (CUBN)
Immunogen:	Recombinant Cubilin (CUBN) corresdonding to Cys3157~Met3274 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CUBN. It has been selected for its ability to recognize CUBN in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

CUBN

Target Details

Alternative Name:	Cubilin (CUBN Products)
Background:	IFCR, MGA1, gp280, Intrinsic Factor Cobalamin Receptor, 460 kDa receptor, Intestinal intrinsic
	factor receptor, Intrinsic factor-vitamin B12 receptor
Pathways:	Metabolism of Steroid Hormones and Vitamin D, Lipid Metabolism
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:420-1660 Immunohistochemistry: 5-20 µg/mL
	1:42-166 Immunocytochemistry: 5-20 μg/mL
	1:42-166 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months





Western Blot kDa 75 50 37 25 20 ← 16kDa 15 10

Western Blotting

Image 1. Detection of CUBN in Human Urine using Polyclonal Antibody to Cubilin (CUBN)

Western Blotting

Image 2. Detection of Recombinant CUBN, Human using Polyclonal Antibody to Cubilin (CUBN)