

Datasheet for ABIN7434914

anti-Doublecortin antibody (AA 1-366)





Go to Product pag

()	ve	rvi	6	W
\sim	v C	1 V I	\sim	v v


Quantity:	100 μL	
Target:	Doublecortin (DCX)	
Binding Specificity:	AA 1-366	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Doublecortin antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)	

Product Details

Purpose:	Polyclonal Antibody to Doublecortin (DCX)	
Immunogen:	Recombinant Doublecortin (DCX) corresdonding to Met1~Met366	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against DCX. It has been selected for its ability to recognize DCX in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

o .		
Target:	Doublecortin (DCX)	
Alternative Name:	Doublecortin (DCX Products)	
Background:	DBCN, DC, LISX, SCLH, XLIS, Doublin, Doublecortex, Lissencephalin-X, Lissencephaly,X-Linked,	
	Neuronal migration protein doublecortin	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	1:500-2000 Immunohistochemistry: 5-20 μg/mL	
	1:50-200 Immunocytochemistry: 5-20 µg/mL	
	1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of Recombinant DCX, Mouse using Polyclonal Antibody to Doublecortin (DCX)