# antibodies -online.com





## anti-Urocortin 2 antibody (AA 20-112)

10 lm

**Images** 



Go to Product page

## Overview

Quantity:	100 μL
Target:	Urocortin 2 (UCN2)
Binding Specificity:	AA 20-112
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Urocortin 2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## **Product Details**

Purpose:	Polyclonal Antibody to Urocortin 2 (UCN2)
	1 diyalandi / tintibady to drocortiin 2 (darez)
Immunogen:	Recombinant Urocortin 2 (UCN2) corresdonding to Val20~Cys112 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against UCN2. It has been selected for its
	ability to recognize UCN2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Cow, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


## **Target Details**

Expiry Date:

24 months


Target:	Urocortin 2 (UCN2)
Alternative Name:	Urocortin 2 (UCN2 Products)
Background:	URP, SRP, UCN-II, UCNII, Stresscopin-Related Peptide, Urocortin-related peptide
Pathways:	Positive Regulation of Peptide Hormone Secretion, Negative Regulation of Hormone Secretion, cAMP Metabolic Process

,	cAMP Metabolic Process
	6/Will Wetabolie 1700e33
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:500-2000 Immunohistochemistry: 5-20 µg/mL
	1:50-200 Immunocytochemistry: 5-20 μg/mL
	1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.




## **Western Blotting**

**Image 1.** Detection of UCN2 in Rat Adrenal gland lysate using Polyclonal Antibody to Urocortin 2 (UCN2)



#### **Western Blotting**

Image 2. Detection of Recombinant UCN2, Human using Polyclonal Antibody to Urocortin 2 (UCN2)



## **Immunohistochemistry**

Image 3. Detection of UCN2 in Human Tonsil Tissue using Polyclonal Antibody to Urocortin 2 (UCN2)

Please check the product details page for more images. Overall 10 images are available for ABIN7435022.