# antibodies -online.com





## anti-DIO2 antibody (AA 30-259)





Go to Product page

_					
U	V	er	VI	е	W

Quantity:	100 μL
Target:	DIO2
Binding Specificity:	AA 30-259
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DIO2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Polyclonal Antibody to Deiodinase, Iodothyronine, Type II (DIO2)	
Immunogen:	Recombinant Deiodinase, Iodothyronine, Type II (DIO2) corresdonding to Ser30~Phe259 with Two N-terminal Tags, His-tag and MBP-tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against DIO2. It has been selected for its ability to recognize DIO2 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Human, Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


#### **Target Details**

rarget Details	
Target:	DIO2
Alternative Name:	Deiodinase, Iodothyronine, Type II (DIO2 Products)
Background:	5DII, D2, SelY, TXDI2, Thyroxine Deiodinase, Type II, Type-II 5'-deiodinase
Pathways:	Hormone Transport, Hormone Activity
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-

	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Western Blotting**

**Image 1.** Detection of Recombinant DIO2, Rat using Polyclonal Antibody to Deiodinase, Iodothyronine, Type II (DIO2)