# antibodies -online.com





# anti-CEACAM6 antibody (AA 35-142)

2 Images




Go to Product page

	r\/	

Quantity:	100 μL
Target:	CEACAM6
Binding Specificity:	AA 35-142
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CEACAM6 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP),
	Immunocytochemistry (ICC)
Product Details	
Purpose:	Polyclonal Antibody to Carcinoembryonic Antigen Related Cell Adhesion Molecule 6
	(CEACAM6)
Immunogen:	Recombinant Carcinoembryonic Antigen Related Cell Adhesion Molecule 6 (CEACAM6)
	corresdonding to Lys35~Pro142 (Accession # P40199)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CEACAM6. It has been selected for
	its ability to recognize CEACAM6 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


## **Target Details**

Target:	CEACAM6	
Alternative Name:	Carcinoembryonic Antigen Related Cell Adhesion Molecule 6 (CEACAM6 Products)	
Background:	CD66c, NCA, CD66-C, CEAL, Non-Specific Cross Reacting Antigen, Normal cross-reacting	
	antigen	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



### **Immunohistochemistry**

Image 1. #VALUE!



### **Western Blotting**

**Image 2.** Detection of Recombinant CEACAM6, Human using Polyclonal Antibody to Carcinoembryonic Antigen Related Cell Adhesion Molecule 6 (CEACAM6)