# antibodies -online.com







Image



Go to Product page

### Overview


Quantity:	100 μL
Target:	PTMA
Binding Specificity:	AA 2-111
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PTMA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### **Product Details**

Purpose:	Polyclonal Antibody to Prothymosin Alpha (PTMa)
Immunogen:	Recombinant Prothymosin Alpha (PTMa) corresdonding to Ser2~Asp111 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PTMa. It has been selected for its ability to recognize PTMa in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## **Target Details**

<u> </u>		
Target:	PTMA	
Alternative Name:	Prothymosin Alpha (PTMA Products)	
Background:	TMSA, PTM-A, Pro-Thymosin A, Gene Sequence 28, Thymosin alpha-1	
Application Details		
Application Notes:	Western blotting: 0.5-2 $\mu$ g/mL Immunohistochemistry: 5-20 $\mu$ g/mL Immunocytochemistry: 5-20 $\mu$ g/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



### **Western Blotting**

Image 1. Detection of Recombinant PTMa, Human using Polyclonal Antibody to Prothymosin Alpha (PTMa)