
antibodies -online.com









Go to Product page

_					
U	V	er	VI	е	W

Quantity:	100 μL	
Target:	TNNI1	
Binding Specificity:	AA 142-187	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TNNI1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Troponin I Type 1, Slow Skeletal (TNNI1)	
Immunogen:	Recombinant Troponin I Type 1, Slow Skeletal (TNNI1) corresdonding to Met1~Asp103 linked with Leu142~Gln187 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against TNNI1. It has been selected for it ability to recognize TNNI1 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Storage:

Expiry Date:

Storage Comment:

Larget Details			
Target:	TNNI1		
Alternative Name:	Troponin I Type 1, Slow Skeletal (TNNI1 Products)		
Background:	TNN1, Troponin I, slow-twitch isoform		
Application Details			
Application Notes:	Western blotting: 0.5-2 μg/mL		
	1:400-1600 Immunohistochemistry: 5-20 μg/mL		
	1:40-160 Immunocytochemistry: 5-20 µg/mL		
	1:40-160 Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		

detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without


4 °C,-20 °C

24 months




Western Blotting

Image 1. Detection of TNNI1 in Rat Skeletal muscle lysate using Polyclonal Antibody to Troponin I Type 1, Slow Skeletal (TNNI1)



Western Blotting

Image 2. Detection of Recombinant TNNI1, Human using Polyclonal Antibody to Troponin I Type 1, Slow Skeletal (TNNI1)



Western Blotting

Image 3. Detection of TNNI1 in Mouse Skeletal muscle lysate using Polyclonal Antibody to Troponin I Type 1, Slow Skeletal (TNNI1)