antibodies -online.com





anti-ACAT2 antibody (AA 1-397)





Go to Product page

\sim			
	IV/E	۱//۱۲	$I \cap V$


Quantity:	100 μL	
Target:	ACAT2	
Binding Specificity:	AA 1-397	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ACAT2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Acetyl Coenzyme A Acetyltransferase 2 (ACAT2)	
Immunogen:	Recombinant Acetyl Coenzyme A Acetyltransferase 2 (ACAT2) corresdonding to Met1~Glu397 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ACAT2. It has been selected for its ability to recognize ACAT2 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

rarger betano		
Target:	ACAT2	
Alternative Name:	Acetyl Coenzyme A Acetyltransferase 2 (ACAT2 Products)	
Background:	ACTL, Acetoacetyl Coenzyme A Thiolase, Acetyl-CoA transferase-like protein, Cytosolic acetoacetyl-CoA thiolase	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of ACAT2 in Human Kidney Tissue using
Polyclonal Antibody to Acetyl Coenzyme A
Acetyltransferase 2 (ACAT2)



Western Blotting

Image 2. Detection of Recombinant ACAT2, Human using Polyclonal Antibody to Acetyl Coenzyme A Acetyltransferase 2 (ACAT2)



Immunohistochemistry

Image 3. Detection of ACAT2 in Human Liver Tissue using Polyclonal Antibody to Acetyl Coenzyme A Acetyltransferase 2 (ACAT2)

Please check the product details page for more images. Overall 7 images are available for ABIN7435556.