# antibodies -online.com





## anti-Asparagine Synthetase antibody (AA 213-536)





Overview
_

Quantity:	100 μL
Target:	Asparagine Synthetase (ASNS)
Binding Specificity:	AA 213-536
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Asparagine Synthetase antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Purpose:	Polyclonal Antibody to Asparagine Synthetase (ASNS)
Immunogen:	Recombinant Asparagine Synthetase (ASNS) corresdonding to His213~Tyr536 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ASNS. It has been selected for its ability to recognize ASNS in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


### **Target Details**

Expiry Date:

rarget Details	
Target:	Asparagine Synthetase (ASNS)
Alternative Name:	Asparagine Synthetase (ASNS Products)
Background:	Aspartate-Ammonia Ligase, Asparagine synthetase [glutamine-hydrolyzing], Cell cycle control protein TS11, Glutamine-dependent asparagine synthetase
Pathways:	ER-Nucleus Signaling
Application Details	
Application Notes:	Western blotting: 0.5-2 $\mu$ g/mL Immunohistochemistry: 5-20 $\mu$ g/mL Immunocytochemistry: 5-20 $\mu$ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without

detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months



#### **Western Blotting**

**Image 1.** Detection of Recombinant ASNS, Human using Polyclonal Antibody to Asparagine Synthetase (ASNS)