antibodies -online.com





anti-GOT2 antibody (AA 30-430)





Go to Product page

\sim							
	1//	\Box	$r \setminus$	/ [\bigcirc	1	٨,

Quantity:	100 μL	
Target:	GOT2	
Binding Specificity:	AA 30-430	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GOT2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details


Purpose:	Polyclonal Antibody to Aspartate Aminotransferase 2 (AST2)	
Immunogen:	Recombinant Aspartate Aminotransferase 2 (AST2) corresdonding to Ser30~Lys430 (Accession # P00505)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against AST2. It has been selected for its ability to recognize AST2 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Expiry Date:

24 months

Target Details			
Target:	GOT2		
Alternative Name:	Aspartate Aminotransferase 2 (GOT2 Products)		
Background:	GOT2, MitAAT, KATIV, KAT4, FABP-1, Plasma membrane-associated fatty acid-binding protein,		
	Glutamic-Oxaloacetic Transaminase 2, Mitochondrial, Kynurenine Aminotransferase IV		
Pathways:	Monocarboxylic Acid Catabolic Process		
Application Details			
Application Notes:	Western blotting: 0.5-2 μg/mL		
	1:300-1200 Immunohistochemistry: 5-20 μg/mL		
	1:30-120 Immunocytochemistry: 5-20 µg/mL		
	1:30-120 Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without		
	detectable loss of activity. Avoid repeated freeze-thaw cycles.		



Western Blotting

Image 1. Detection of Recombinant AST2, Human using Polyclonal Antibody to Aspartate Aminotransferase 2 (AST2)