
antibodies -online.com





anti-SIGLEC10 antibody (AA 571-697)

2 Images



Go to Product page

Overview

Quantity:	100 μL	
Target:	SIGLEC10	
Binding Specificity:	AA 571-697	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SIGLEC10 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details


Purpose:	Polyclonal Antibody to Sialic Acid Binding Ig Like Lectin 10 (SIGLEC10)	
Immunogen:	Recombinant Sialic Acid Binding Ig Like Lectin 10 (SIGLEC10) corresdonding to Met571~Gln697 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against SIGLEC10. It has been selected for its ability to recognize SIGLEC10 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target:	SIGLEC10		
---------	----------	--	--


Target Details

Alternative Name:	Sialic Acid Binding Ig Like Lectin 10 (SIGLEC10 Products)	
Background:	PRO940, SLG2, Sialic Acid Binding Ig-Like Lectin 10 Ig-Like Lectin 7, Siglec-Like Gene 2	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant SIGLEC10, Human using Polyclonal Antibody to Sialic Acid Binding Ig Like Lectin 10 (SIGLEC10)