antibodies -online.com





anti-SIRT4 antibody (AA 28-314)



Images



Overview


| Quantity: | 100 μL |
|----------------------|--|
| Target: | SIRT4 |
| Binding Specificity: | AA 28-314 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This SIRT4 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Sirtuin 4 (SIRT4) |
|----------------|--|
| Immunogen: | Recombinant Sirtuin 4 (SIRT4) corresdonding to Ser28~Cys314 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against SIRT4. It has been selected for its ability to recognize SIRT4 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |
| Target Details | |
| Target: | SIRT4 |


Target Details

| Talyet Details | | |
|---------------------|--|--|
| Alternative Name: | Sirtuin 4 (SIRT4 Products) | |
| Background: | SIR2L4, Silent Mating Type Information Regulation 2 Homolog 4, SIR2-like protein 4, NAD- | |
| | dependent protein deacetylase sirtuin-4 | |
| Pathways: | Negative Regulation of Hormone Secretion | |
| Application Details | | |
| Application Notes: | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5- | |
| | $20\mu\text{g/mL}$ Optimal working dilutions must be determined by end user. | |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated | |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious | |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration | |
| | date under appropriate storage condition. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be | |
| | handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without | |
| | detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |




Immunohistochemistry

Image 1. Detection of SIRT4 in Human Liver Tissue using Polyclonal Antibody to Sirtuin 4 (SIRT4)



Western Blotting

Image 2. Detection of Recombinant SIRT4, Human using Polyclonal Antibody to Sirtuin 4 (SIRT4)



Immunohistochemistry

Image 3. Detection of SIRT4 in Human Prostate cancer Tissue using Polyclonal Antibody to Sirtuin 4 (SIRT4)

Please check the product details page for more images. Overall 7 images are available for ABIN7435928.