# antibodies -online.com









**Images** 



Go to Product page

( )	1 /	$\sim$	KI /	110	Νę
	1//	$\vdash$	I \/	1 ←	٠// ٢

Quantity:	100 μL	
Target:	CPA4	
Binding Specificity:	AA 55-421	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CPA4 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

# **Product Details**

Purpose:	Polyclonal Antibody to Carboxypeptidase A4 (CPA4)	
Immunogen:	Recombinant Carboxypeptidase A4 (CPA4) corresdonding to Lys55~Tyr421 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CPA4. It has been selected for its ability to recognize CPA4 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

# **Target Details**


Target: CPA4
--------------

# **Target Details**

Expiry Date:


24 months

Alternative Name:	Carboxypeptidase A4 (CPA4 Products)	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	




# **Immunohistochemistry**

**Image 1.** Detection of CPA4 in Human Prostate Tissue using Polyclonal Antibody to Carboxypeptidase A4 (CPA4)



### **Western Blotting**

Image 2. Detection of CPA4 in Human Lung Tissue using Polyclonal Antibody to Carboxypeptidase A4 (CPA4)



# **Western Blotting**

Image 3. Detection of Recombinant CPA4, Human using Polyclonal Antibody to Carboxypeptidase A4 (CPA4)

Please check the product details page for more images. Overall 6 images are available for ABIN7435982.