



[Go to Product page](#)

Datasheet for ABIN7435997
anti-CSRP1 antibody (AA 1-193)

2 Images

Overview

| | |
|----------------------|---|
| Quantity: | 100 µL |
| Target: | CSRP1 |
| Binding Specificity: | AA 1-193 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CSRP1 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| | |
|-------------------|--|
| Purpose: | Polyclonal Antibody to Cysteine And Glycine Rich Protein 1 (CSRP1) |
| Immunogen: | Recombinant Cysteine And Glycine Rich Protein 1 (CSRP1) corresponding to Met1~Glu193 |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against CSRP1. It has been selected for its ability to recognize CSRP1 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse, Pig, Rat |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details


| | |
|-------------------|---|
| Target: | CSRP1 |
| Alternative Name: | Cysteine And Glycine Rich Protein 1 (CSRP1 Products) |
| Background: | CRP1, CRP, CSRP, CYRP, HEL-141, Cysteine-rich protein 1, Epididymis luminal protein 141 |

Application Details

| | |
|--------------------|---|
| Application Notes: | Western blotting: 0.5-2 µg/mL Immunocytochemistry in formalin fixed cells: 5-20 µg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in paraffin section: 5-20 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |


Handling

| | |
|--------------------|---|
| Format: | Liquid |
| Buffer: | PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300. |
| Preservative: | Dithiothreitol (DTT), ProClin |
| Precaution of Use: | This product contains ProClin and Dithiothreitol (DTT): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |



Immunohistochemistry

Image 1. Detection of CSRP1 in Human Kidney Tissue using Polyclonal Antibody to Cysteine And Glycine Rich Protein 1 (CSRP1)



Western Blotting

Image 2. Detection of Recombinant CSRP1, Human using Polyclonal Antibody to Cysteine And Glycine Rich Protein 1 (CSRP1)