antibodies -online.com





anti-CTBP2 antibody (AA 1-252)

3 Images



Go to Product page

Overview

Quantity:	100 μL
Target:	CTBP2
Binding Specificity:	AA 1-252
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CTBP2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details


Durnaga	Delveland Antibody to C. Terminal Dinding Protein 2 (CTDD2)
Purpose:	Polyclonal Antibody to C-Terminal Binding Protein 2 (CTBP2)
Immunogen:	Recombinant C-Terminal Binding Protein 2 (CTBP2) corresdonding to Met1~Leu252 with N-
	terminal His Tag
	terrimar no rag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CTBP2. It has been selected for its
	ability to recognize CTBP2 in immunohistochemical staining and western blotting.
	ability to recognize or bit 2 in infinitionistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Expiry Date:


24 months

rarget Details	
Target:	CTBP2
Alternative Name:	C-Terminal Binding Protein 2 (CTBP2 Products)
Background:	Ribeye
Application Details	
Application Notes:	Western blotting: 1-5 μ g/mL Immunocytochemistry in formalin fixed cells: 5-20 μ g/mL Immunohistochemistry in formalin fixed frozen section: 5-20 μ g/mL Immunohistochemistry in paraffin section: 5-20 μ g/mL Enzyme-linked Immunosorbent Assay: 0.05-2 μ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.



Immunohistochemistry

Image 1. #VALUE!



22

18

14

Western Blotting

Image 2. Detection of CTBP2 in Porcine Heart Tissue usingPolyclonal Antibody to C-Terminal Binding Protein 2(CTBP2)

Western Blotting

Image 3. Detection of Recombinant CTBP2, Human using Polyclonal Antibody to C-Terminal Binding Protein 2 (CTBP2)