antibodies - online.com







anti-JAK2 antibody (AA 508-800)



Images



\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	JAK2
Binding Specificity:	AA 508-800
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This JAK2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Janus Kinase 2 (JAK2)
Immunogen:	Recombinant Janus Kinase 2 (JAK2) corresdonding to Asn508~Ala800 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against JAK2. It has been selected for its ability to recognize JAK2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	JAK2
Alternative Name:	Janus Kinase 2 (JAK2 Products)
Background:	JTK10, Tyrosine-protein kinase JAK2
Pathways:	JAK-STAT Signaling, RTK Signaling, Interferon-gamma Pathway, Positive Regulation of Peptide Hormone Secretion, Intracellular Steroid Hormone Receptor Signaling Pathway, Response to Growth Hormone Stimulus, Positive Regulation of Endopeptidase Activity, Protein targeting to Nucleus, CXCR4-mediated Signaling Events, Platelet-derived growth Factor Receptor Signaling, Unfolded Protein Response

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of JAK2 in Human Liver cancer Tissue using Polyclonal Antibody to Janus Kinase 2 (JAK2)



Western Blotting

Image 2. Detection of Recombinant JAK2, Human using Polyclonal Antibody to Janus Kinase 2 (JAK2)



Immunohistochemistry

Image 3. Detection of JAK2 in Human Kidney Tissue using Polyclonal Antibody to Janus Kinase 2 (JAK2)

Please check the product details page for more images. Overall 5 images are available for ABIN7436057.