antibodies -online.com







anti-PSMB6 antibody (AA 2-239)



Images



\sim			
	$ \backslash / \cap$	r\/I	$\triangle V$


Quantity:	100 μL	
Target:	PSMB6	
Binding Specificity:	AA 2-239	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PSMB6 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Purpose:	Polyclonal Antibody to Proteasome Subunit Beta Type 6 (PSMb6)	
Immunogen:	Recombinant Proteasome Subunit Beta Type 6 (PSMb6) corresdonding to Ala2~Ala239	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against PSMb6. It has been selected for its ability to recognize PSMb6 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

rarget Details		
Target:	PSMB6	
Alternative Name:	Proteasome Subunit Beta Type 6 (PSMB6 Products)	
Background:	LMPY, Macropain delta chain, Proteasome subunit Y, Multicatalytic endopeptidase complex delta chain	
Pathways:	Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA	
Application Details		
Application Notes:	Western blotting: 1-5 μ g/mL Immunocytochemistry in formalin fixed cells: 5-20 μ g/mL Immunohistochemistry in formalin fixed frozen section: 5-20 μ g/mL Immunohistochemistry in paraffin section: 5-20 μ g/mL Enzyme-linked Immunosorbent Assay: 0.05-2 μ g/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of PSMb6 in Human Breast cancer Tissue using Polyclonal Antibody to Proteasome Subunit Beta Type 6 (PSMb6)



Western Blotting

Image 2. Detection of PSMb6 in Human Hela Cells using Polyclonal Antibody to Proteasome Subunit Beta Type 6 (PSMb6)



Western Blotting

Image 3. Detection of Recombinant PSMb6, Human using Polyclonal Antibody to Proteasome Subunit Beta Type 6 (PSMb6)

Please check the product details page for more images. Overall 8 images are available for ABIN7436234.