# antibodies .- online.com







## anti-Desmocollin 2 antibody (AA 136-471)



Image



$\sim$	
( )\/△	rview
$\cup$	1 410 44

Quantity:	100 μL
Target:	Desmocollin 2 (DSC2)
Binding Specificity:	AA 136-471
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Desmocollin 2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**


Target:

Purpose:	Polyclonal Antibody to Desmocollin 2 (DSC2)
Immunogen:	Recombinant Desmocollin 2 (DSC2) corresdonding to Arg136~Cys471
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DSC2. It has been selected for its ability to recognize DSC2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Desmocollin 2 (DSC2)

### **Target Details**

•	
Alternative Name:	Desmocollin 2 (DSC2 Products)
Background:	ARVD11, CDHF2, DG2, DGII/III, Cadherin family member 2, Desmosomal glycoprotein III
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Western Blotting**

Image 1. Detection of Recombinant DSC2, Human using Polyclonal Antibody to Desmocollin 2 (DSC2)