antibodies - online.com







anti-WISP2 antibody (AA 24-250)



Image



\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	WISP2
Binding Specificity:	AA 24-250
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WISP2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to WNT1 Inducible Signaling Pathway Protein 2 (WISP2)
lmmunogen:	Recombinant WNT1 Inducible Signaling Pathway Protein 2 (WISP2) corresdonding to Gln24~Phe250 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against WISP2. It has been selected for its ability to recognize WISP2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: WISP2

Target Details

rarget Details	
Alternative Name:	WNT1 Inducible Signaling Pathway Protein 2 (WISP2 Products)
Background:	CCN5, CT58, CTGF-L, CCN family member 5, Connective tissue growth factor-like protein, Connective tissue growth factor-related protein 58
Pathways:	WNT Signaling, Growth Factor Binding
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:200-800 Immunohistochemistry: 5-20 µg/mL
	1:20-80 Immunocytochemistry: 5-20 μg/mL
	1:20-80 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of Recombinant WISP2, Human using Polyclonal Antibody to WNT1 Inducible Signaling Pathway Protein 2 (WISP2)