# antibodies -online.com





## anti-Plastin 3 antibody (AA 379-630)

4 Images



#### Overview

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | Plastin 3 (PLS3)   |
| Binding Specificity: | AA 379-630   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This Plastin 3 antibody is un-conjugated   |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

## **Product Details**

| Purpose:          | Polyclonal Antibody to Plastin 3 (PLS3)  |
|-------------------|--|
| Immunogen:        | Recombinant Plastin 3 (PLS3) corresdonding to Ala379~Val630 with N-terminal His Tag  |
| Isotype:          | IgG  |
| Specificity:      | The antibody is a rabbit polyclonal antibody raised against PLS3. It has been selected for its ability to recognize PLS3 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse, Pig, Rat  |
| Purification:     | Antigen-specific affinity chromatography followed by Protein A affinity chromatography   |

## **Target Details**


| Target:           | Plastin 3 (PLS3)          |
|-------------------|---------------------------|
| Alternative Name: | Plastin 3 (PLS3 Products) |
| Background:       | T-PLASTIN                 |

## **Application Details**

| Restrictions:      | For Research Use only  |
|--------------------|--|
|                    | date under appropriate storage condition.  |
|                    | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
|                    | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious          |
| Comment:           | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
|                    | 1:28-110 Optimal working dilutions must be determined by end user.                               |
|                    | 1:28-110 Immunocytochemistry: 5-20 μg/mL   |
|                    | 1:280-1100 Immunohistochemistry: 5-20 μg/mL  |
| Application Notes: | Western blotting: 0.5-2 μg/mL  |


## Handling

| Format:            | Liquid  |
|--------------------|---|
| Buffer:            | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.  |
| Preservative:      | ProClin   |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.   |
| Storage:           | 4 °C,-20 °C   |
| Storage Comment:   | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date:       | 24 months   |




## **Immunohistochemistry**

**Image 1.** Detection of PLS3 in Human Prostate cancer Tissue using Polyclonal Antibody to Plastin 3 (PLS3)



## **Western Blotting**

Image 2. Detection of Recombinant PLS3, Human using Polyclonal Antibody to Plastin 3 (PLS3)



## **Immunohistochemistry**

Image 3. Detection of PLS3 in Human Colorectal cancer
Tissue using Polyclonal Antibody to Plastin 3 (PLS3)

Please check the product details page for more images. Overall 4 images are available for ABIN7436462.