antibodies -online.com





anti-ITIH3 antibody (AA 279-467)

3 Images



Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | ITIH3 |
| Binding Specificity: | AA 279-467 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ITIH3 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H3 (ITIH3) |
|-------------------|--|
| Immunogen: | Recombinant Inter Alpha-Globulin Inhibitor H3 (ITIH3) corresdonding to Pro279~Val467 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against ITIH3. It has been selected for its ability to recognize ITIH3 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse, Pig |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |


Target Details

| Target: | ITIH3 |
|-------------------|---|
| Alternative Name: | Inter Alpha-Globulin Inhibitor H3 (ITIH3 Products) |
| Background: | H3P, SHAP, Pre-Alpha(Globulin)Inhibitor,H3 Polypeptide, Serum-derived hyaluronan-associated protein |
| Pathways: | Glycosaminoglycan Metabolic Process |

Application Details


| Application Details | |
|---------------------|--|
| Application Notes: | Western blotting: 0.5-2 μg/mL |
| | 1:260-1000 Immunohistochemistry: 5-20 μg/mL |
| | 1:26-100 Immunocytochemistry: 5-20 µg/mL |
| | 1:26-100 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| | |
| Handling | |
| Format: | Liquid |
| Ruffer | PBS_nH 7.4_containing 0.02 % Sodium azide 50 % glycerol |

| Format: | Liquid |
|--------------------|---|
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Western Blotting

Image 1. Detection of ITIH3 in Human Serum using Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H3 (ITIH3)



Western Blotting

Image 2. Detection of Recombinant ITIH3, Human using Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H3 (ITIH3)



Immunohistochemistry

Image 3. Detection of ITIH3 in Human Skeletal muscle Tissue using Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H3 (ITIH3)