# antibodies .- online.com







## anti-CSTL1 antibody (AA 21-114)



Image



$\sim$	
( )\/△	rview
$\circ$	


Quantity:	100 μL
Target:	CSTL1
Binding Specificity:	AA 21-114
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CSTL1 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Polyclonal Antibody to Cystatin 1 (CST1)
Immunogen:	Recombinant Cystatin 1 (CST1) corresdonding to Trp21~Lys114 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CST1. It has been selected for its ability to recognize CST1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	CSTL1

### **Target Details**

Cystatin 1 (CSTL1 Products)
Cystatin SN, Salivary cystatin-SA-1
Western blotting: 0.5-2 μg/mL
Immunohistochemistry: 5-20 μg/mL
Immunocytochemistry: 5-20 μg/mL
Optimal working dilutions must be determined by end user.
The thermal stability is described by the loss rate. The loss rate was determined by accelerated
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
degradation and precipitation were observed. The loss rate is less than 5% within the expiration
date under appropriate storage condition.
For Research Use only
Liquid
PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Sodium azide
This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
should be handled by trained staff only.
4 °C,-20 °C
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
detectable loss of activity. Avoid repeated freeze-thaw cycles.
24 months



#### **Western Blotting**

Image 1. Detection of Recombinant CST1, Human using Polyclonal Antibody to Cystatin 1 (CST1)