antibodies - online.com







anti-ARPC4 antibody (AA 79-164)



Image



| \sim | | | | |
|--------|-----------|------|----|---|
| | $ V \cap$ | r\/I | 19 | ٨ |

| Quantity: | 100 μL |
|----------------------|--------------------------------------------------------------------------------------------------------|
| Target: | ARPC4 |
| Binding Specificity: | AA 79-164 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ARPC4 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |


Product Details

| Purpose: | Polyclonal Antibody to Actin Related Protein 2/3 Complex Subunit 4 (ARPC4) | |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| lmmunogen: | Recombinant Actin Related Protein 2/3 Complex Subunit 4 (ARPC4) corresdonding to Ala79~Phe164 (Accession # P59999) | |
| Isotype: | IgG | |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against ARPC4. It has been selected for its ability to recognize ARPC4 in immunohistochemical staining and western blotting. | |
| Cross-Reactivity: | Human, Rat | |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography | |

| Target Details | |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Target: | ARPC4 |
| Alternative Name: | Actin Related Protein 2/3 Complex Subunit 4 (ARPC4 Products) |
| Background: | ARC20, p20-Arc, Arp2/3 Protein Complex Subunit p20, Arp2/3 complex 20 kDa subunit |
| Pathways: | RTK Signaling, Regulation of Actin Filament Polymerization |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |

Handling

| Tianumig | | |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Format: | Liquid | |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. | |
| Preservative: | Sodium azide | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |



Western Blotting

Image 1. Detection of Recombinant ARPC4, Mouse using Polyclonal Antibody to Actin Related Protein 2/3 Complex Subunit 4 (ARPC4)