antibodies - online.com





anti-ADAMTS4 antibody (AA 437-575)

Images



_							
0	V	е	r١	/	е	٧	V

Purification:

Quantity:	100 μL			
Target:	ADAMTS4			
Binding Specificity:	AA 437-575			
Reactivity:	Human			
Host:	Rabbit			
Clonality:	Polyclonal			
Conjugate:	This ADAMTS4 antibody is un-conjugated			
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)			
Product Details				
Product Details Purpose:	Polyclonal Antibody to A Disintegrin And Metalloproteinase With Thrombospondin 4 (ADAMTS4)			
Purpose:	(ADAMTS4) Recombinant A Disintegrin And Metalloproteinase With Thrombospondin 4 (ADAMTS4)			
Purpose: Immunogen:	(ADAMTS4) Recombinant A Disintegrin And Metalloproteinase With Thrombospondin 4 (ADAMTS4) corresdonding to Thr437~Pro575 (Accession # 075173)			


Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Expiry Date:


raiget Details		
Target:	ADAMTS4	
Alternative Name:	A Disintegrin And Metalloproteinase With Thrombospondin 4 (ADAMTS4 Products)	
Background:	ADMP-1, Aggrecanase-1	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	1:200-900 Immunohistochemistry: 5-20 µg/mL	
	1:20-90 Immunocytochemistry: 5-20 μg/mL	
	1:20-90 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	

24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image2. Detection of Recombinant ADAMTS4, HumanusingPolyclonal Antibody to A Disintegrin AndMetalloproteinase With Thrombospondin 4 (ADAMTS4)