antibodies -online.com





anti-GSTM1 antibody (AA 1-220)

2 Images



Go to Product page

Overview

Quantity:	100 μL
Target:	GSTM1
Binding Specificity:	AA 1-220
Reactivity:	Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GSTM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Glutathione S Transferase Mu 1 (GSTM1)
Immunogen:	Recombinant Glutathione S Transferase Mu 1 (GSTM1) corresdonding to Met1~Glu220 (Accession # P20136)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GSTM1. It has been selected for its ability to recognize GSTM1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: GSTM1


Target Details

Alternative Name:	Glutathione S Transferase Mu 1 (GSTM1 Products)
Background:	GST-M1, GST1, GSTM1-1, GSTM1a-1a, GSTM1b-1b, GTH4, GTM1, H-B, MU1, GST HB subunit 4
Pathways:	Negative Regulation of Transporter Activity

Application Details


Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of GSTM1 in Human HepG2 cell using Polyclonal Antibody to Glutathione S Transferase Mu 1 (GSTM1)



Western Blotting

Image 2. Detection of Recombinant GSTm1, Gallus using Polyclonal Antibody to Glutathione S Transferase Mu 1 (GSTM1)