antibodies - online.com







anti-CD73 antibody (AA 29-550)



Images



0	1 /	-	K	/1	-	1 A
u	\/	\vdash	I \	/ I	\vdash	1/1

Quantity:	100 μL
Target:	CD73 (NT5E)
Binding Specificity:	AA 29-550
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD73 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)


Product Details

Purpose:	Polyclonal Antibody to Cluster Of Differentiation 73 (CD73)	
Immunogen:	Recombinant Cluster Of Differentiation 73 (CD73) corresdonding to Trp29~phe550 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CD73. It has been selected for its ability to recognize CD73 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Human, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details


Target:	CD73 (NT5E)
Alternative Name:	CD73 (NT5E Products)
Background:	NT5E, NT5-E, E5NT, E5-NT, NTE, EN, ENT, 5'-Nucleotidase, Ecto
Pathways:	Synaptic Membrane, Ribonucleoside Biosynthetic Process

Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Immunohistochemistry

Image 1. Detection of CD73 in Mouse Small intestine Tissue using Polyclonal Antibody to Cluster Of Differentiation 73 (CD73)



Western Blotting

Image 2. Detection of Recombinant NT5E, Mouse using Polyclonal Antibody to Cluster Of Differentiation 73 (CD73)



Immunohistochemistry

Image 3. Detection of CD73 in Mouse Lung Tissue using Polyclonal Antibody to Cluster Of Differentiation 73 (CD73)