# antibodies -online.com





## anti-SOCS3 antibody (AA 1-225)



Image



Go to Product page

| ( ) | ve     | K\ / |    | A . |
|-----|--------|------|----|-----|
|     | $\cup$ | 1 V/ | Щ. | V۷  |
|     |        |      |    |     |

| Quantity:            | 100 μL   |  |
|----------------------|--|--|
| Target:              | SOCS3  |  |
| Binding Specificity: | AA 1-225   |  |
| Reactivity:          | Mouse  |  |
| Host:                | Rabbit   |  |
| Clonality:           | Polyclonal   |  |
| Conjugate:           | This SOCS3 antibody is un-conjugated   |  |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |  |

#### **Product Details**


| Purpose:          | Polyclonal Antibody to Suppressors Of Cytokine Signaling 3 (SOCS3)   |  |
|-------------------|--|--|
| Immunogen:        | Recombinant Suppressors Of Cytokine Signaling 3 (SOCS3) corresdonding to Met1~Leu225 (Accession # 035718)  |  |
| Isotype:          | IgG  |  |
| Specificity:      | The antibody is a rabbit polyclonal antibody raised against SOCS3. It has been selected for its ability to recognize SOCS3 in immunohistochemical staining and western blotting. |  |
| Cross-Reactivity: | Human, Rat   |  |
| Purification:     | Antigen-specific affinity chromatography followed by Protein A affinity chromatography   |  |

### **Target Details**

Expiry Date:

24 months

| raiget Details      |  |  |
|---------------------|--|--|
| Target:             | SOCS3  |  |
| Alternative Name:   | Suppressors Of Cytokine Signaling 3 (SOCS3 Products)   |  |
| Background:         | ATOD4, CIS3, Cish3, MGC71791, SOCS-3, SSI-3, SSI3, Cytokine-inducible SH2 protein 3, STAT-induced STAT inhibitor 3 |  |
| Pathways:           | JAK-STAT Signaling, Response to Growth Hormone Stimulus, Hepatitis C   |  |
| Application Details |  |  |
| Application Notes:  | Western blotting: 0.5-2 μg/mL  |  |
|                     | Immunohistochemistry: 5-20 μg/mL   |  |
|                     | Immunocytochemistry: 5-20 μg/mL  |  |
|                     | Optimal working dilutions must be determined by end user.  |  |
| Comment:            | The thermal stability is described by the loss rate. The loss rate was determined by accelerated                   |  |
|                     | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious                            |  |
|                     | degradation and precipitation were observed. The loss rate is less than 5% within the expiration                   |  |
|                     | date under appropriate storage condition.  |  |
| Restrictions:       | For Research Use only  |  |
| Handling            |  |  |
| Format:             | Liquid   |  |
| Buffer:             | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  |  |
| Preservative:       | Sodium azide   |  |
| Precaution of Use:  | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which                                      |  |
|                     | should be handled by trained staff only.   |  |
| Storage:            | 4 °C,-20 °C  |  |
| Storage Comment:    | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without                    |  |
|                     | detectable loss of activity. Avoid repeated freeze-thaw cycles.  |  |
|                     |  |  |



#### **Western Blotting**

**Image 1.** Detection of Recombinant SOCS3, Mouse using Polyclonal Antibody to Suppressors Of Cytokine Signaling 3 (SOCS3)