antibodies .- online.com





anti-CD3D antibody (AA 19-99)





Overview

Quantity:	100 μL
Target:	CD3D
Binding Specificity:	AA 19-99
Reactivity:	Sheep
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD3D antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Cluster Of Differentiation 3d (CD3d)
Immunogen:	Recombinant Cluster Of Differentiation 3d (CD3d) corresdonding to Val19~Thr99 (Accession # P18438) with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CD3d. It has been selected for its ability to recognize CD3d in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: CD3D

Target Details


Alternative Name:	CD3d (CD3D Products)
Background:	CD3-DELTA, T3D, T-Dell Surface Glycoprotein CD3 Delta Chain, T-cell receptor T3 delta chain
Pathways:	TCR Signaling, CXCR4-mediated Signaling Events

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL
	1:500-2000 Immunohistochemistry: 5-20 µg/mL
	1:50-200 Immunocytochemistry: 5-20 μg/mL
	1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of CD3d in Caprine Thymus lysate using Polyclonal Antibody to Cluster Of Differentiation 3d (CD3d)