# antibodies -online.com







# anti-Luteinizing Hormone antibody (AA 25-120)

**Images** 



$\sim$				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL	
Target:	Luteinizing Hormone (LH)	
Binding Specificity:	AA 25-120	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Luteinizing Hormone antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)	

## **Product Details**

Purpose:	Polyclonal Antibody to Luteinizing Hormone (LH)	
Immunogen:	Recombinant Luteinizing Hormone (LH) corresdonding to Leu25~Ser120 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against LH. It has been selected for its ability to recognize LH in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Human, Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

# **Target Details**

Storage Comment:


Expiry Date:

Target Details		
Target:	Luteinizing Hormone (LH)	
Alternative Name:	Luteinizing Hormone (LH Products)	
Background:	ICSH, Lutropin, Interstitial Cell Stimulating Hormone	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	

detectable loss of activity. Avoid repeated freeze-thaw cycles.


24 months

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without



## **Immunohistochemistry**

Image 1. #VALUE!



## **Western Blotting**

Image 2. Detection of Recombinant LH, Rat using Polyclonal Antibody to Luteinizing Hormone (LH)