antibodies - online.com







anti-ITGA2 antibody (AA 74-277)

Images



Overview


Quantity:	100 μL
Target:	ITGA2
Binding Specificity:	AA 74-277
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ITGA2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Integrin Alpha 2 (ITGa2)
Immunogen:	Recombinant Integrin Alpha 2 (ITGa2) corresdonding to Glu74~Val277 (Accession # P17301)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ITGa2. It has been selected for its ability to recognize ITGa2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

rarget betails	
Target:	ITGA2
Alternative Name:	Integrin Alpha 2 (ITGA2 Products)
Background:	CD49b, BR, GPIa, VLA-2, VLAA2, Platelet membrane glycoprotein Ia, Alpha 2 Subunit Of VLA-2 Receptor, Very Late Activation Proteins 2 Receptor, Collagen receptor, VLA-2 alpha
Pathways:	CXCR4-mediated Signaling Events, Smooth Muscle Cell Migration, Integrin Complex
Application Details	
Application Notes:	Western blotting: 1-5 μ g/mL Immunocytochemistry in formalin fixed cells: 5-20 μ g/mL Immunohistochemistry in formalin fixed frozen section: 5-20 μ g/mL Immunohistochemistry in paraffin section: 5-20 μ g/mL Enzyme-linked Immunosorbent Assay: 0.05-2 μ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of ITGa2 in Human Kidney Tissue using Polyclonal Antibody to Integrin Alpha 2 (ITGa2)



Western Blotting

Image 2. Detection of Recombinant ITGa2, Human using Polyclonal Antibody to Integrin Alpha 2 (ITGa2)