antibodies -online.com





anti-BCMA antibody (AA 71-184)





Overview

Quantity:	100 μL
Target:	BCMA (TNFRSF17)
Binding Specificity:	AA 71-184
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BCMA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Tumor Necrosis Factor Receptor Superfamily, Member 17 (TNFRSF17)
lmmunogen:	Recombinant Tumor Necrosis Factor Receptor Superfamily, Member 17 (TNFRSF17) corresdonding to Leu71~Thr184
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TNFRSF17. It has been selected for its ability to recognize TNFRSF17 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Expiry Date:

24 months

Target Details	
Target:	BCMA (TNFRSF17)
Alternative Name:	Tumor Necrosis Factor Receptor Superfamily, Member 17 (TNFRSF17 Products)
Background:	CD269, BCM, BCMA, B-cell maturation protein
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.



Western Blotting

Image 1. Detection of Recombinant TNFRSF17, Mouse using Polyclonal Antibody to Tumor Necrosis Factor Receptor Superfamily, Member 17 (TNFRSF17)