antibodies -online.com





anti-Ferritin Mitochondrial antibody (AA 54-229)



Images



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	Ferritin Mitochondrial (FTMT)
Binding Specificity:	AA 54-229
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ferritin Mitochondrial antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Ferritin, Mitochondrial (FTMT)
Immunogen:	Recombinant Ferritin, Mitochondrial (FTMT) corresdonding to Ser54~His229 (Accession # Q9D5H4)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FTMT. It has been selected for its ability to recognize FTMT in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Storage:

Expiry Date:

Storage Comment:

Target:	Ferritin Mitochondrial (FTMT)
Alternative Name:	Ferritin, Mitochondrial (FTMT Products)
Background:	MtF
Pathways:	Transition Metal Ion Homeostasis

Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL
Comment:	Optimal working dilutions must be determined by end user. The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be


handled by trained staff only.

4 °C,-20 °C

24 months


detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without




Immunohistochemistry

Image 1. Detection of FTMT in Mouse Liver Tissue using Polyclonal Antibody to Ferritin, Mitochondrial (FTMT)



Western Blotting

Image 2. Detection of FTMT in Mouse Lung Tissue using Polyclonal Antibody to Ferritin, Mitochondrial (FTMT)



Western Blotting

Image 3. Detection of Recombinant FTMT, Mouse using Polyclonal Antibody to Ferritin, Mitochondrial (FTMT)

Please check the product details page for more images. Overall 8 images are available for ABIN7437572.