

Datasheet for ABIN7437695
anti-LIFR antibody (AA 45-184)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	LIFR
Binding Specificity:	AA 45-184
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LIFR antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Leukemia Inhibitory Factor Receptor (LIFR)
Immunogen:	Recombinant Leukemia Inhibitory Factor Receptor (LIFR) corresponding to Gln45~Leu184 (Accession # P42702)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against LIFR. It has been selected for its ability to recognize LIFR in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	LIFR
---------	------

Target Details

Alternative Name: Leukemia Inhibitory Factor Receptor ([LIFR Products](#))

Background: CD118, SJS2, STWS, SWS

Pathways: [JAK-STAT Signaling](#), [Growth Factor Binding](#)

Application Details

Application Notes: Western blotting: 0.5-2 µg/mL
Immunohistochemistry: 5-20 µg/mL
Immunocytochemistry: 5-20 µg/mL
Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Expiry Date: 24 months



Western Blotting

Image 1. Detection of LIFR in Mouse Skeletal muscle lysate using Polyclonal Antibody to Leukemia Inhibitory Factor Receptor (LIFR)