antibodies - online.com







anti-GAD65 antibody (AA 188-374)



Images



\sim	
()\/\	rview
\cup	1 410 44


Quantity:	100 μL
Target:	GAD65 (GAD2)
Binding Specificity:	AA 188-374
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GAD65 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Glutamate Decarboxylase 2 (GAD2)
Immunogen:	Recombinant Glutamate Decarboxylase 2 (GAD2) corresdonding to Met188~Ser374 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GAD2. It has been selected for its ability to recognize GAD2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

raiget Details	
Target:	GAD65 (GAD2)
Alternative Name:	Glutamate Decarboxylase 2 (GAD2 Products)
Background:	GAD65, Glutamate Decarboxylase 2, Acid, Pancreatic Islets And Brain,65 kDa, 65 kDa glutamic acid decarboxylase, Glutamate decarboxylase 65 kDa isoform
	acid decarboxylase, didiamate decarboxylase 00 kba isolomi
Application Details	
Application Notes:	Western blotting: 0.5-5 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of GAD2 in Rat Stomach Tissue using Polyclonal Antibody to Glutamate Decarboxylase 2 (GAD2)



Western Blotting

Image 2. Detection of GAD2 in Rat Serum using Polyclonal Antibody to Glutamate Decarboxylase 2 (GAD2)



Immunohistochemistry

Image 3. Detection of GAD2 in Rat Heart Tissue using Polyclonal Antibody to Glutamate Decarboxylase 2 (GAD2)

Please check the product details page for more images. Overall 5 images are available for ABIN7437707.