antibodies - online.com







anti-GLDC antibody (AA 627-833)





_					
U	V	er	VI	е	W


Quantity:	100 μL	
Target:	GLDC	
Binding Specificity:	AA 627-833	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GLDC antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Glycine Dehydrogenase (GLDC)	
Immunogen:	Recombinant Glycine Dehydrogenase (GLDC) corresdonding to Ala627~Ala833 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against GLDC. It has been selected for its ability to recognize GLDC in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

GLDC	
Glycine Dehydrogenase (GLDC Products)	
GCSP, NKH, Decarboxylating, Glycine Decarboxylase, Glycine Cleavage System Protein P,	
Glycine dehydrogenase (aminomethyl-transferring)	
Western blotting: 0.5-2 μg/mL	
Immunohistochemistry: 5-20 μg/mL	
Immunocytochemistry: 5-20 μg/mL	
Optimal working dilutions must be determined by end user.	
The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
date under appropriate storage condition.	
For Research Use only	
Liquid	
PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Sodium azide	
This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
should be handled by trained staff only.	
4 °C,-20 °C	
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
detectable loss of activity. Avoid repeated freeze-thaw cycles.	
24 months	



Western Blotting

Image 1. Detection of Recombinant GLDC, Human using Polyclonal Antibody to Glycine Dehydrogenase (GLDC)