

Datasheet for ABIN7437899  
**anti-FGF2 antibody (AA 26-153)**[Go to Product page](#)

## 4 Images

## Overview

Quantity:	100 µL
Target:	FGF2
Binding Specificity:	AA 26-153
Reactivity:	Rabbit
Host:	Guinea Pig
Clonality:	Polyclonal
Conjugate:	This FGF2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to Fibroblast Growth Factor 2, Basic (FGF2)
Immunogen:	Recombinant Fibroblast Growth Factor 2, Basic (FGF2) corresponding to Phe26~Ala153 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a cavia polyclonal antibody raised against FGF2. It has been selected for its ability to recognize FGF2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details


Target:	FGF2
Alternative Name:	Fibroblast Growth Factor 2, Basic ( <a href="#">FGF2 Products</a> )
Background:	B-FGF, BFGF, FGFB, HBGH-2, Basic Fibroblast Growth Factor, Heparin-binding growth factor 2
Pathways:	<a href="#">RTK Signaling</a> , <a href="#">Fc-epsilon Receptor Signaling Pathway</a> , <a href="#">EGFR Signaling Pathway</a> , <a href="#">Neurotrophin Signaling Pathway</a> , <a href="#">C21-Steroid Hormone Metabolic Process</a> , <a href="#">Inositol Metabolic Process</a> , <a href="#">Glycosaminoglycan Metabolic Process</a> , <a href="#">Protein targeting to Nucleus</a> , <a href="#">S100 Proteins</a>

## Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### Immunohistochemistry

**Image 1.** Detection of FGF2 in Rabbit Kidney Tissue using Polyclonal Antibody to Fibroblast Growth Factor 2, Basic (FGF2)



#### Western Blotting

**Image 2.** Detection of Recombinant FGF2, Rabbit using Polyclonal Antibody to Fibroblast Growth Factor 2, Basic (FGF2)



#### Immunohistochemistry

**Image 3.** Detection of FGF2 in Rabbit Liver Tissue using Polyclonal Antibody to Fibroblast Growth Factor 2, Basic (FGF2)

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN7437899.