antibodies -online.com





anti-GSTM1 antibody (AA 1-218)





Go to Product page

Overview

Quantity:	100 μL
Target:	GSTM1
Binding Specificity:	AA 1-218
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GSTM1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Glutathione S Transferase Mu 1 (GSTM1)
Immunogen:	Recombinant Glutathione S Transferase Mu 1 (GSTM1) corresdonding to Met1~Lys218 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GSTM1. It has been selected for its ability to recognize GSTM1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Expiry Date:

Target Details	
Target:	GSTM1
Alternative Name:	Glutathione S Transferase Mu 1 (GSTM1 Products)
Background:	GST-M1, GST1, GSTM1-1, GSTM1a-1a, GSTM1b-1b, GTH4, GTM1, H-B, MU1, GST HB subunit 4
Pathways:	Negative Regulation of Transporter Activity
Application Details	
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without


detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months




Immunohistochemistry

Image 1. Detection of GSTM1 in Human Kidney Tissue using Polyclonal Antibody to Glutathione S Transferase Mu 1 (GSTM1)



Western Blotting

Image 2. Detection of Recombinant GSTm1, Human using Polyclonal Antibody to Glutathione S Transferase Mu 1 (GSTM1)



Immunohistochemistry

Image 3. Detection of GSTM1 in Human Liver Tissue using Polyclonal Antibody to Glutathione S Transferase Mu 1 (GSTM1)