# antibodies -online.com









_						
0	V	0	r٧	/[	$\Theta$	M

Quantity:	100 μL
Target:	PIGR
Binding Specificity:	AA 19-120
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PIGR antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	

### Product Details


Purpose:	Polyclonal Antibody to Polymeric Immunoglobulin Receptor (PIGR)	
Immunogen:	Recombinant Polymeric Immunoglobulin Receptor (PIGR) corresdonding to Lys19~Ser120 (Accession # P01833)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against PIGR. It has been selected for its ability to recognize PIGR in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

# **Target Details**

	PIGR	Target:
--	------	---------


# **Target Details**

9	
Alternative Name:	Polymeric Immunoglobulin Receptor (PIGR Products)
Background:	SC, Secretory Component, Hepatocellular carcinoma-associated protein TB6
Application Details	
Application Notes:	Western blotting: 1-5 μg/mL Immunocytochemistry in formalin fixed cells: 5-20 μg/mL
	Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in
	paraffin section: 5-20 μg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




# **Immunohistochemistry**

Image 1. Detection of PIGR in Porcine Stomach Tissue using Polyclonal Antibody to Polymeric Immunoglobulin Receptor (PIGR)



# **Western Blotting**

Image 2. Detection of Recombinant PIGR, Human using Polyclonal Antibody to Polymeric Immunoglobulin Receptor (PIGR)



# **Immunohistochemistry**

**Image 3.** Detection of PIGR in Porcine Kidney Tissue using Polyclonal Antibody to Polymeric Immunoglobulin Receptor (PIGR)