# antibodies - online.com







## anti-Phenylalanine Hydroxylase antibody (AA 228-452)



## **Images**



( )	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL	
Target:	Phenylalanine Hydroxylase	
Binding Specificity:	AA 228-452	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Phenylalanine Hydroxylase antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

#### **Product Details**

Purpose:	Polyclonal Antibody to Phenylalanine Hydroxylase (PAH)
Immunogen:	Recombinant Phenylalanine Hydroxylase (PAH) corresdonding to Glu228~Lys452 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PAH. It has been selected for its ability to recognize PAH in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## **Target Details**


Target:	Phenylalanine Hydroxylase
Abstract:	Phenylalanine Hydroxylase Products
Background:	PKU, PKU1, Phe-4-monooxygenase

## **Application Details**

Restrictions:	For Research Use only	
	date under appropriate storage condition.	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	Optimal working dilutions must be determined by end user.	
	Immunocytochemistry: 5-20 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
Application Notes:	Western blotting: 0.5-2 μg/mL	


## Handling

Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




#### **Immunohistochemistry**

**Image 1.** Detection of PAH in Human Liver Tissue using Polyclonal Antibody to Phenylalanine Hydroxylase (PAH)



#### **Western Blotting**

**Image 2.** Detection of PAH in Reombinant PAH, Human using Polyclonal Antibody to Phenylalanine Hydroxylase (PAH)



#### **Immunohistochemistry**

**Image 3.** Detection of PAH in Human Liver cancer Tissue using Polyclonal Antibody to Phenylalanine Hydroxylase (PAH)

Please check the product details page for more images. Overall 5 images are available for ABIN7438214.