

Datasheet for ABIN7438307
anti-PIK3CB antibody (AA 321-507)

6 Images

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	PIK3CB
Binding Specificity:	AA 321-507
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PIK3CB antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Phosphoinositide-3-Kinase Catalytic Beta Polypeptide (PIK3Cb)
Immunogen:	Recombinant Phosphoinositide-3-Kinase Catalytic Beta Polypeptide (PIK3Cb) corresponding to Arg321~Pro507 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PIK3Cb. It has been selected for its ability to recognize PIK3Cb in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	PIK3CB
Alternative Name:	Phosphoinositide-3-Kinase Catalytic Beta Polypeptide (PIK3CB Products)
Background:	PI3K, PI3Kbeta, PIK3C1, p110-BETA, Phosphatidylinositol 4,5-bisphosphate 3-kinase 110 kDa catalytic subunit beta

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:200-900 Immunohistochemistry: 5-20 µg/mL 1:20-90 Immunocytochemistry: 5-20 µg/mL 1:20-90 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of PIK3Cb in Human Cerebrum Tissue using Polyclonal Antibody to Phosphoinositide-3-Kinase Catalytic Beta Polypeptide (PIK3Cb)



Western Blotting

Image 2. Detection of Recombinant PIK3Cb, Human using Polyclonal Antibody to Phosphoinositide-3-Kinase Catalytic Beta Polypeptide (PIK3Cb)



Immunohistochemistry

Image 3. Detection of PIK3Cb in Human Liver Tissue using Polyclonal Antibody to Phosphoinositide-3-Kinase Catalytic Beta Polypeptide (PIK3Cb)

Please check the [product details page](#) for more images. Overall 6 images are available for ABIN7438307.