# antibodies -online.com





# anti-ITIH4 antibody (AA 683-928)



# **Images**



Go to Product page

( )	ve	K\ /		A .
	$\cup$	1 V/	-	V۷

Quantity:	100 μL	
Target:	ITIH4	
Binding Specificity:	AA 683-928	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ITIH4 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

#### **Product Details**

Purpose:	Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H4 (ITIH4)
1 urpose.	r diyolorial Artibody to litter Alpha Globdiili ilillibitor 114 (111114)
Immunogen:	Recombinant Inter Alpha-Globulin Inhibitor H4 (ITIH4) corresdonding to Ala683~Val928 with N-
	terminal His Tag
Isotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ITIH4. It has been selected for its
	ability to recognize ITIH4 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


### **Target Details**

Expiry Date:

Target Details		
Target:	ITIH4	
Alternative Name:	Inter Alpha-Globulin Inhibitor H4 (ITIH4 Products)	
Background:	IHRP, PK120, H4P, ITIHL1, Plasma Kallikrein-Sensitive Glycoprotein, Plasma kallikrein sensitive glycoprotein 120, Inter-alpha-trypsin inhibitor family heavy chain-related protein	
Pathways:	Glycosaminoglycan Metabolic Process	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	

detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months




#### **Western Blotting**

**Image 1.** Detection of ITIH4 in Rat Serum using Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H4 (ITIH4)

#### **Western Blotting**

**Image 2.** Detection of Recombinant ITIH4, Human using Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H4 (ITIH4)



## **Immunohistochemistry**

Image 3. Detection of ITIH4 in Human Liver Tissue using Polyclonal Antibody to Inter Alpha-Globulin Inhibitor H4 (ITIH4)

Please check the product details page for more images. Overall 7 images are available for ABIN7438337.