# antibodies .- online.com







## anti-JAK2 antibody (AA 916-1103)



## **Images**



$\sim$	
( )\/△	rview
$\cup$	1 410 44

Quantity:	100 μL
Target:	JAK2
Binding Specificity:	AA 916-1103
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This JAK2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Polyclonal Antibody to Janus Kinase 2 (JAK2)
Immunogen:	Recombinant Janus Kinase 2 (JAK2) corresdonding to Val916~Thr1103 (Accession # Q62689)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against JAK2. It has been selected for its ability to recognize JAK2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	JAK2

## **Target Details**


Alternative Name:	Janus Kinase 2 (JAK2 Products)
Background:	JTK10, Tyrosine-protein kinase JAK2
Pathways:	JAK-STAT Signaling, RTK Signaling, Interferon-gamma Pathway, Positive Regulation of Peptide
	Hormone Secretion, Intracellular Steroid Hormone Receptor Signaling Pathway, Response to  Growth Hormone Stimulus, Positive Regulation of Endopeptidase Activity, Protein targeting to
	Nucleus, CXCR4-mediated Signaling Events, Platelet-derived growth Factor Receptor Signaling,
	Unfolded Protein Response

## **Application Details**

Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### **Immunohistochemistry**

**Image 1.** Detection of JAK2 in Rat Liver Tissue using Polyclonal Antibody to Janus Kinase 2 (JAK2)



#### **Western Blotting**

Image 2. Detection of Recombinant JAK2, Rat using Polyclonal Antibody to Janus Kinase 2 (JAK2)



#### **Immunohistochemistry**

Image 3. Detection of JAK2 in Rat Testis Tissue using Polyclonal Antibody to Janus Kinase 2 (JAK2)

Please check the product details page for more images. Overall 7 images are available for ABIN7438352.