antibodies -online.com





anti-Transferrin Receptor 2 antibody (AA 211-405)





Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | Transferrin Receptor 2 (TFR2) |
| Binding Specificity: | AA 211-405 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This Transferrin Receptor 2 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details


| Purpose: | Polyclonal Antibody to Transferrin Receptor 2 (TFR2) |
|-------------------|--|
| Immunogen: | Recombinant Transferrin Receptor 2 (TFR2) corresdonding to Leu211~Arg405 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against TFR2. It has been selected for its ability to recognize TFR2 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details

| Target: | Transferrin Receptor 2 (TFR2) |
|-------------------|--|
| Alternative Name: | Transferrin Receptor 2 (TFR2 Products) |
| Background: | HFE3, TFRC2 |
| Pathways: | Transition Metal Ion Homeostasis |


Application Details

| Application Details | |
|---------------------|---|
| Application Notes: | Western blotting: 0.5-2 μg/mL 1:280-1100 Immunohistochemistry: 5-20 μg/mL 1:28-110 Immunocytochemistry: 5-20 μg/mL 1:28-110 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Western Blotting

Image 1. Detection of TFR2 in Human Liver lysate using Polyclonal Antibody to Transferrin Receptor 2 (TFR2)



Western Blotting

Image 2. Detection of Recombinant TFR2, Human using Polyclonal Antibody to Transferrin Receptor 2 (TFR2)



Immunohistochemistry

Image 3. Detection of TFR2 in Human Breast cancer Tissue using Polyclonal Antibody to Transferrin Receptor 2 (TFR2)

Please check the product details page for more images. Overall 5 images are available for ABIN7438460.