# antibodies -online.com





# anti-Angiopoietin 1 antibody (AA 21-228)

3 Images



#### Go to Product page

$\sim$	
( )\/\p	rview
$\circ$	

Quantity:	100 μL
Target:	Angiopoietin 1 (ANGPT1)
Binding Specificity:	AA 21-228
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Angiopoietin 1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

# **Product Details**

Purpose:	Polyclonal Antibody to Angiopoietin 1 (ANGPT1)
Immunogen:	Recombinant Angiopoietin 1 (ANGPT1) corresdonding to Asn21~Tyr228 (Accession # Q15389)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ANGPT1. It has been selected for its ability to recognize ANGPT1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

# **Target Details**

Storage:

Expiry Date:

Storage Comment:

Target:	Angiopoietin 1 (ANGPT1)
Alternative Name:	Angiopoietin 1 (ANGPT1 Products)
Background:	ANG1, AGP1, AGPT, ANG-I
Pathways:	RTK Signaling, Glycosaminoglycan Metabolic Process

Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be


handled by trained staff only.

4 °C,-20 °C

24 months


detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without




# **Western Blotting**

**Image 1.** Detection of ANGPT1 in Rat Heart lysate using Polyclonal Antibody to Angiopoietin 1 (ANGPT1)



### **Western Blotting**

Image 2. Detection of Recombinant ANGPT1, Human using Polyclonal Antibody to Angiopoietin 1 (ANGPT1)



# **Western Blotting**

Image 3. Detection of ANGPT1 in Mouse Liver lysate using Polyclonal Antibody to Angiopoietin 1 (ANGPT1)