antibodies -online.com





anti-FNDC5 antibody (AA 77-144)

2 Images



Go to Product page

\sim					
	1//	⊃r	V/I	Φ\	Λ

Quantity:	100 μL	
Target:	FNDC5	
Binding Specificity:	AA 77-144	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FNDC5 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details


Purpose:	Polyclonal Antibody to Fibronectin Type III Domain Containing Protein 5 (FNDC5)	
Immunogen:	Recombinant Fibronectin Type III Domain Containing Protein 5 (FNDC5) corresdonding to Leu77~Met144 (Accession # Q8NAU1) with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against FNDC5. It has been selected for its ability to recognize FNDC5 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Expiry Date:


24 months

rarget Details			
Target:	FNDC5		
Alternative Name:	Fibronectin Type III Domain Containing Protein 5 (FNDC5 Products)		
Background:	FRCP2, Irisin, Fibronectin type III repeat-containing protein 2		
Pathways:	Hormone Activity, Brown Fat Cell Differentiation, Positive Regulation of fat Cell Differentiation		
Application Details			
Application Notes:	Western blotting: 0.5-2 μg/mL		
	Immunohistochemistry: 5-20 µg/mL		
	Immunocytochemistry: 5-20 µg/mL		
	Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without		
	detectable loss of activity. Avoid repeated freeze-thaw cycles.		



Immunohistochemistry

Image 1. Detection of FNDC5 in Human Cardiac Muscle Tissue using Polyclonal Antibody to Fibronectin Type III Domain Containing Protein 5 (FNDC5)



Western Blotting

Image 2. Detection of Recombinant FNDC5, Human using Polyclonal Antibody to Fibronectin Type III Domain Containing Protein 5 (FNDC5)